

PROVEN TO PERFORM

Cat® Industrial Engine Product Range



LET'S DO THE WORK.™





POWER FOR EVERY APPLICATION.

Cat® industrial engines are ready for your application. They offer unsurpassed reliability, durability, fuel efficiency, and a low cost of ownership that you have come to expect from Caterpillar. Our industry-leading product support network will never let you down. All this adds up to a powerful advantage for you.

Every Cat industrial diesel engine comes with over 75 years of engine experience. Our world-class product line of high-speed and medium-speed industrial engines in a wide range of applications offers power solutions for the most demanding installations in the harshest of environments. With offerings from 8 to 5,700 kW (11 to 7644 hp), Cat industrial engines provide the widest power range in the industry.

MATCH A CAT ENGINE TO YOUR APPLICATION.

The Most Comprehensive Range
8 - 5700 kW (11 – 7644 hp)



Access Platforms



Air Compressor



Cement Mixer



Combine Harvester




Cotton picker



Crusher



Forklift




Pump



Rock Drill



Self propelled drill



Straddle Carrier




Sugarcane Harvester



Sweeper



Tractor



Trencher

MEET THE BROADEST STAGE V PRODUCT LINE.

[Bharat Stage (CEV/TREM)-IV and V Ready]

Engine model	Aspiration	Displacement (liters)	Power (kW)	Aftertreatment modules		
C0.5	NA	0.5	8.8	No requirement		
C0.7	NA	0.7	12.2-13.3			
C1.1	NA/T	1.1	14.7-18.9			
C1.7	NA/T	1.7	17.7-18.9			
C2.2	T/TA	2.2	45-55	DOC	DPF	
C2.8	T/TA	2.8	50-55	DOC	DPF	
C3.6	TA	3.6	55	DOC	DPF	
C3.6	TA	3.6	70-100	DOC	DPF	SCR
C4.4	TA/TTA	4.4	82-150	DOC	DPF	SCR
C7.1	TA/TTA	7.0	129-239	DOC	DPF	SCR
C9.3B	TA	9.3	250-340	DOC	DPF	SCR
C13B	TA	12.5	340-430	DOC	DPF	SCR
C15	TA	15.2	354-433	DOC	DPF	SCR
C18	TA	18.1	429-470	DOC	DPF	SCR
C18	TTA	18.1	563-597	DOC		
C27	TA	27.0	597-783	DOC		
C32	TA	32.1	746-839	DOC		

UN ECE R96 STAGE IIIA-OR BELOW

Bharat Stage CEV III Ready-or Below

Engine Model	Aspiration	Displacement (liters)	Power (kW)	Power (hp)	Engine Model	Aspiration	Displacement (liters)	Power (kW)	Power (hp)
C0.5	NA	0.51	8.2-10.2	11-13.7	C18	TA/TTA	18.1	429-597	575-801
C0.7	NA	0.76	13.2-15.3	17.7-21	C27	TA	27.0	597-858	801-1151
C1.1	NA	1.1	14.7-21	19.7-28	3412	TA	27.0	465-540	624-724
C1.5	NA/T	1.5	21-30	28-40	C32	TA	32.0	709-1007	951-1350
C1.7	NA	1.7	24-26	25-35	3508	TA	34.5	470-746	630-1000
C2.2	NA/T/TA	2.2	31-49	42-66	3508B	TA	34.5	746-820	1000-1100
C2.8	T	2.8	50-55	60-74	3512	TA	51.8	761-1119	1021-1501
C3.6	TA	3.6	55-90	74-121	3512B	TA	51.8	1119-1230	1501-1649
3054	NA/T/TA	4.4	56-97	75-130	3512C	TA	58.6	1120	1502
C4.4	T/TA	4.4	75-106	101-142	3516	TA	69.0	1011-1492	1356-2001
C7.1	TA	7.0	112-205	150-275	3516C	TA	78.0	1566	2100
C9.3B	TA	9.3	230-330	308-443	3606	TA	110.8	1490-2150	1998-2883
C11	TA	11.1	242-336	325-451	3608	TA	147.8	2088-2710	2800-3634
C13	TA	12.5	287-388	385-520	3612	TA	221.7	2970	3983
3406C	TA	14.6	269-347	361-465	3612	TA	295.6	3135-4252	4204-5702
C15	TA	15.2	328-444	440-595	3616	TA	295.6	4050-5700	5431-7644

WE'RE PREPARED WITH EVERYTHING YOU NEED.

You need maximum fuel efficiency, minimum operating costs and every minute of production you can get. Our authorized dealers in India, Gmmco and Gainwell, will help you with every aspect of your operation, so that you can work faster and more efficiently than ever before.



Caterpillar India Private Ltd.
 Prestige Shantiniketan Tower
 "B", 6th Floor, Whitefield Main Road,
 Bangalore 560 048.
 Website: www.cat.com

Gmmco Ltd.
 No. 6, GST Road, St. Thomas Mount,
 Chennai - 600016.
 Phone: 1800 425 2546
 E mail: sales@gmmcoindia.com

Gainwell Commonsales Pvt. Ltd.
 1C1, Ecotech-II, Udyog Vihar, Greater Noida,
 Uttar Pradesh - 201306.
 Phone: 01206659000
 Toll Free No: 18004193356
 E mail: marketing@gainwellindia.com

